| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L2 | 66 | (smart adj pointer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 17:18 |
| L3 | 3 | 2 and (pointer with (address)) and (pointer with (ID identification identifier)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 15:48 |
| L4 | 0 | 3 and stream | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 15:55 |
| L5 | 0 | 2 and (pointer with address with (id identification identifier)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 17:22 |
| L6 | 19 | 2 and persistent$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 17:18 |
| L7 | 19 | ("5202981" \| "5247669" \| "5414812" \| "5560005" \| "5692183" \| "5710896" \| "5727203" \| "5752245" \| "5765162" \| "5768511" \| "5787431" \| "5809507" \| "5829053" \| "5848419").PN. OR ("6125364").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 17:22 |
| L8 | 0 | 7 and (pointer with address with (id identification identifier)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 17:23 |
| L10 | 1 | 7 and (pointer same address same (id identification identifier)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 17:23 |
| L11 | 15 | ("5398334" \| "5463770" \| "5590327" \| "5692183").PN. OR ("5794256").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 17:25 |

| | | | | | | |
|---|---|---|---|---|---|---|
| L14 | 7 | (derived with IPersistStream) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 18:57 |
| S1 | 0 | (COM and persisten$3).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 10:41 |
| S2 | 11 | (COM and persisten$3).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:20 |
| S3 | 0 | (COM and persisten$3 and pointers).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:21 |
| S4 | 4 | (COM and persisten$3).ab. and pointers | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:26 |
| S5 | 224 | (object and persisten$3).ab. and pointers | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:26 |
| S6 | 77 | (object and persisten$3).ti. and pointers | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:32 |
| S7 | 0 | (user with select$3 with conflict$3 with component) and (object near2 exist$3) with pointer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:33 |
| S8 | 0 | (user with select$3 with conflict$3 with component) and (exist$3 with pointer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:32 |
| S9 | 7 | ((object and persisten$3).ti. and pointers) and (object near2 exist$3) with pointer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:33 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S10 | 4 | (US-6769124-$).did. or (US-20020062419-$ or US-20020184441-$ or US-20030163596-$).did. | US-PGPUB; USPAT | OR | OFF | 2004/08/05 16:20 |
| S11 | 2 | ((US-6769124-$).did. or (US-20020062419-$ or US-20020184441-$ or US-20030163596-$).did.) and stream | US-PGPUB; USPAT | OR | OFF | 2004/08/05 16:02 |
| S12 | 4 | ((US-6769124-$).did. or (US-20020062419-$ or US-20020184441-$ or US-20030163596-$).did.) and file | US-PGPUB; USPAT | OR | OFF | 2004/08/05 16:17 |
| S13 | 2 | ((US-6769124-$).did. or (US-20020062419-$ or US-20020184441-$ or US-20030163596-$).did.) and type with set | US-PGPUB; USPAT | OR | OFF | 2004/08/05 16:17 |
| S14 | 159 | 717/165-166.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/08/05 16:20 |
| S15 | 9 | 717/165-166.ccls. and (object with persist$6 with stor$3) | US-PGPUB; USPAT | OR | OFF | 2004/08/05 16:20 |
| S16 | 11 | "5682536".URPN. | USPAT | OR | ON | 2004/08/05 16:27 |
| S17 | 1 | "5682536".URPN. and persist$6 | USPAT | OR | ON | 2004/08/05 16:27 |
| S18 | 7 | (US-6769124-$ or US-6460058-$ or US-5805896-$ or US-5682536-$).did. or (US-20020062419-$ or US-20030163596-$ or US-20020184441-$).did. | US-PGPUB; USPAT | OR | OFF | 2004/08/05 17:27 |
| S19 | 7 | ((US-6769124-$ or US-6460058-$ or US-5805896-$ or US-5682536-$).did. or (US-20020062419-$ or US-20030163596-$ or US-20020184441-$).did.) and type | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 17:28 |
| S20 | 2 | ((US-6769124-$ or US-6460058-$ or US-5805896-$ or US-5682536-$).did. or (US-20020062419-$ or US-20030163596-$ or US-20020184441-$).did.) and type with group | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 17:28 |
| S21 | 309 | 717/116.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 10:42 |
| S22 | 41 | 717/116.ccls. and (object with persist$6 with stor$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 10:42 |

| S23 | 40 | (717/116.ccls. and (object with persist$6 with stor$3)) and type | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 10:43 |
|---|---|---|---|---|---|---|
| S24 | 1 | ((717/116.ccls. and (object with persist$6 with stor$3)) and type) and (total near2 number) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 10:42 |
| S25 | 10 | ((717/116.ccls. and (object with persist$6 with stor$3)) and type) and pointer with (address OR value) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 10:43 |
| S26 | 9 | (US-5682536-$ or US-5805896-$ or US-6769124-$ or US-6128771-$ or US-5692183-$ or US-5689703-$).did. or (US-20020062419-$ or US-20020184441-$ or US-20030163596-$).did. | US-PGPUB; USPAT | OR | OFF | 2004/08/06 11:29 |
| S27 | 4 | ((US-5682536-$ or US-5805896-$ or US-6769124-$ or US-6128771-$ or US-5692183-$ or US-5689703-$).did. or (US-20020062419-$ or US-20020184441-$ or US-20030163596-$).did.) and registry | US-PGPUB; USPAT | OR | OFF | 2004/08/06 11:30 |
| S28 | 1349 | (COM OR (component adj object adj model)) and persistent$3 and object | US-PGPUB; USPAT | OR | OFF | 2004/08/06 11:31 |
| S29 | 338 | (COM OR (component adj object adj model)) and (persistent$3 same object same stor$3) | US-PGPUB; USPAT | OR | OFF | 2004/08/06 11:31 |
| S30 | 42 | ((COM OR (component adj object adj model)) and (persistent$3 same object same stor$3)) and "717". clas. | US-PGPUB; USPAT | OR | OFF | 2004/08/06 11:32 |
| S31 | 20 | (((COM OR (component adj object adj model)) and (persistent$3 same object same stor$3)) and "717". clas.) and pointer and address | US-PGPUB; USPAT | OR | OFF | 2004/08/06 11:32 |
| S32 | 10 | (US-6769124-$ or US-5805896-$ or US-6128771-$ or US-5692183-$ or US-5689703-$ or US-6519764-$ or US-5682536-$).did. or (US-20030163596-$ or US-20020184441-$ or US-20020062419-$).did. | US-PGPUB; USPAT | OR | OFF | 2004/08/06 11:41 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S33 | 4 | ((US-6769124-$ or US-5805896-$ or US-6128771-$ or US-5692183-$ or US-5689703-$ or US-6519764-$ or US-5682536-$).did. or (US-20030163596-$ or US-20020184441-$ or US-20020062419-$).did.) and count$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 11:43 |
| S34 | 383 | 717/116,165.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 11:43 |
| S35 | 1067 | 717/116,165.ccls. OR 719/315.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 11:43 |
| S36 | 24 | (717/116,165.ccls. OR 719/315.ccls. ) and persist$5 and pointer and (group$3 with type) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 12:42 |
| S37 | 52 | smart adj pointer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 12:42 |
| S38 | 18 | (smart adj pointer) and persist$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 12:42 |
| S39 | 18 | (smart adj pointer) and persist$6 and object | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 13:12 |
| S40 | 12 | US-5247669-$.DID. OR US-5644764-$.DID. OR US-5692183-$.DID. OR US-5765039-$.DID. OR US-5905987-$.DID. OR US-6105041-$.DID. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 17:44 |
| S41 | 13 | (US-6519764-$ or US-5689703-$ or US-6125364-$ or US-6366932-$ or US-6769124-$ or US-5805896-$ or US-6052528-$ or US-6128771-$ or US-5692183-$ or US-5682536-$). did. or (US-20020184441-$ or US-20030163596-$ or US-20020062419-$).did. | US-PGPUB; USPAT | OR | OFF | 2004/08/06 17:09 |

| S42 | 5 | ((US-6519764-$ or US-5689703-$ or US-6125364-$ or US-6366932-$ or US-6769124-$ or US-5805896-$ or US-6052528-$ or US-6128771-$ or US-5692183-$ or US-5682536-$).did. or (US-20020184441-$ or US-20030163596-$ or US-20020062419-$).did.) and registry | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 16:07 |
|-----|-----|------------------------------------------------|-------|-----|-----|------------------|
| S43 | 14 | ("5202981" \| "5247669" \| "5414812" \| "5560005" \| "5692183" \| "5710896" \| "5727203" \| "5752245" \| "5765162" \| "5768511" \| "5787431" \| "5809507" \| "5829053" \| "5848419").PN. | USPAT | OR | ON | 2004/08/06 16:16 |
| S44 | 31 | (persisten$4 with object with stor$3) and (set adj (number OR population)) | US-PGPUB; USPAT | OR | OFF | 2004/08/06 17:09 |
| S45 | 49 | (persisten$4 with object with stor$3) and (set adj (number OR population)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 17:13 |
| S46 | 11 | (persisten$4 with object with stor$3) and (set adj (number OR population)) and (group near2 object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 17:12 |
| S47 | 417 | (persisten$4 with object with stor$3) and (stor$3 same objects same group$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 17:13 |
| S48 | 12 | US-5247669-$.DID. OR US-5644764-$.DID. OR US-5692183-$.DID. OR US-5765039-$.DID. OR US-5905987-$.DID. OR US-6105041-$.DID. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 17:44 |
| S49 | 4 | (US-5247669-$.DID. OR US-5644764-$.DID. OR US-5692183-$.DID. OR US-5765039-$.DID. OR US-5905987-$.DID. OR US-6105041-$.DID.) and group$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/06 17:44 |
| S50 | 18 | ((sav$3 OR stor$3) with object) and IUnknown and IPersistFile and IPersistStream | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:14 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S51 | 15 | S50 and persistent$3 with (stor$3 OR sav$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:14 |
| S52 | 12 | S51 and (pointer with address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:21 |
| S53 | 12 | S51 and (pointer with address$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:18 |
| S54 | 0 | S51 and (pointer with address$3 with (load$3 OR restor$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:15 |
| S55 | 0 | S51 and (pointer with address$3 same (load$3 OR restor$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:15 |
| S56 | 12 | S53 and registry | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:22 |
| S57 | 12 | US-5247669-$.DID. OR US-5644764-$.DID. OR US-5692183-$.DID. OR US-5765039-$.DID. OR US-5905987-$.DID. OR US-6105041-$.DID. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:20 |
| S58 | 0 | S56 and S57 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:19 |
| S59 | 2 | S57 and (pointer with address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 11:21 |
| S60 | 12 | S56 and (object near2 (ID or identifier OR identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/05 12:33 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S61 | 0 | S60 and swizzl$3 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 12:06 |
| S62 | 209 | (object near2 (ID OR identification<br>OR identity)) and (persistent$3 with<br>(sav$3 OR stor$3) with object) and<br>(object near2 pointers) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 12:34 |
| S63 | 11 | S62 and (resolv$5 with pointer) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 12:48 |
| S64 | 3 | S63 and registry | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 12:35 |
| S65 | 5 | S62 and (restor$3 near3 pointer) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 12:52 |
| S66 | 10 | (persisten$3 with (sav$3 OR<br>stor$3)) and (pointer near<br>(restor$5)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 12:52 |
| S67 | 10 | ("5377350" "5751958" "5884327"<br>"6275953" "6192408").pn. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 14:43 |
| S68 | 1698 | (common with interface) and<br>(persisten$3 with stor$3) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 14:52 |
| S69 | 10 | S68 and ((total near number) with<br>(objects sets)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 15:09 |
| S70 | 419 | common and object and model and<br>COM and (persisten$2 with object) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 15:10 |

| S71 | 284 | S70 and pointer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 15:10 |
|-----|-----|-----------------|---------------------------------------------|----|----|-------------------|
| S72 | 154 | S71 and (saving storing) and (loading) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 15:10 |
| S73 | 174 | S71 and (saving storing) and (loading restoring) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 15:10 |
| S74 | 107 | S71 and ((saving storing) and (loading restoring)) same object | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 15:17 |
| S75 | 2772 | (common near2 (object OR interface)) and persistent$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 15:18 |
| S76 | 121 | S75 and IUnknown | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 15:35 |
| S77 | 14 | S76 and storing and restoring and (pointer with value) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 16:16 |
| S78 | 4 | (restor$3 same pointers same persistently same object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:03 |
| S79 | 124 | (restor$3 same pointers) and (persistent$3 near2 (data OR object)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:04 |
| S80 | 65 | S79 and (common with interface) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:07 |

| S81 | 0 | S80 and (smart near2 pointer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:08 |
|---|---|---|---|---|---|---|
| S82 | 103 | (smart near2 pointer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:08 |
| S83 | 1 | S82 and (restor$3 near3 pointer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:11 |
| S84 | 48 | S82 and persisten$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:12 |
| S85 | 3261 | com with object | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:38 |
| S86 | 2581 | S85 and common | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:38 |
| S87 | 26 | S86 and ipersiststream | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:38 |
| S88 | 6 | S87 and ipersistfile | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/11 17:38 |
| S89 | 16 | (US-20020062419-$ or US-20020184441-$ or US-20030163596-$).did. or (US-5682536-$ or US-5689703-$ or US-5692183-$ or US-5805896-$ or US-5864866-$ or US-5870753-$ or US-6052528-$ or US-6125364-$ or US-6128771-$ or US-6230159-$ or US-6366932-$ or US-6519764-$ or US-6769124-$).did. | US-PGPUB; USPAT | OR | ON | 2005/05/13 15:42 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S90 | 4 | S89 and iunknown and ipersiststream and ipersistfile | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 15:43 |
| S91 | 194 | (object near2 serialization) and persistent$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/24 17:17 |
| S92 | 25 | S91 and (object with pointer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/24 17:18 |
| S93 | 141 | (object near2 serialization) and (persistent$4 with stor$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/24 17:18 |
| S94 | 16 | S93 and (object with pointer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/24 17:18 |
| S95 | 13 | ("5297279" \| "5426747" \| "5649139" \| "5864862" \| "5872973" \| "5903725" \| "5920876" \| "6071317" \| "6112207" \| "6112210" \| "6199141" \| "6275828").PN. OR ("6484247").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/24 17:21 |
| S96 | 9 | S95 and persistent$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/24 17:22 |
| S97 | 8 | S96 and pointer | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/24 17:31 |
| S98 | 2 | S97 and COM | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/24 17:22 |
| S99 | 6 | S97 not S98 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/24 17:31 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S100 | 27238 | "711".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 09:42 |
| S101 | 154 | S100 and (persistent$3 with (stor$3 sav$3) with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 11:03 |
| S102 | 6 | S101 and COM | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 09:43 |
| S103 | 119 | S101 and pointer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 10:20 |
| S104 | 89 | S103 and (object with address$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 10:20 |
| S105 | 48 | S101 and (set with type) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 11:03 |
| S106 | 943 | (persisten$4 with object with stor$3) and (object adj type) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:06 |
| S107 | 339 | S106 and (object with pointer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:06 |
| S108 | 0 | S107 and (each near2 object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:06 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S109 | 177 | S107 and (every near2 object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:06 |
| S110 | 177 | S109 and ((sav$3 stor$3) with object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:08 |
| S111 | 1461 | (persistent$3 with (sav$3 stor$3 writ$3) with object) and (object near2 (type id)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 16:03 |
| S112 | 4 | S111 and (pointer with smart) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 16:30 |
| S113 | 557 | S111 and (pointer with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 16:30 |
| S114 | 133 | S113 and (pointer near3 address$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 16:30 |
| S115 | 8 | COM and IPersistStream and IPersistFile | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/14 15:26 |
| S116 | 65 | (smart adj pointer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/14 15:26 |
| S117 | 25 | S116 and ($3store $3storing) with object | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/14 15:27 |

| S118 | 5 | S116 and (object with serial$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/14 15:28 |
|---|---|---|---|---|---|---|
| S119 | 19 | ("5202981" \| "5247669" \| "5414812" \| "5560005" \| "5692183" \| "5710896" \| "5727203" \| "5752245" \| "5765162" \| "5768511" \| "5787431" \| "5809507" \| "5829053" \| "5848419").PN. OR ("6125364").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/14 15:28 |
| S120 | 340 | (object with serializ$5) and (object with address$3) and pointer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/07 11:46 |
| S121 | 2 | S120 and (total with number with object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/07 11:45 |
| S122 | 3 | (object with serializ$5).ti. and (object with address$3) and pointer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/07 11:47 |
| S123 | 305 | (object with (persistent$3 serializ$5)).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/07 11:47 |
| S124 | 77 | S123 and pointer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/07 11:48 |
| S125 | 23 | S124 and (object near3 address$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/08 15:09 |